

Your Automatic Pool Cover Authority™



AUTOMATIC POOL COVER & SAFETY MESH FENCE INSTALLATION, REPLACEMENT, AND SERVICE

TABLE OF CONTENTS

COVER CARE SERVICE	1
PREMIUM VINYL POOL KIT	9
PRODUCT BENEFITS	2
COVER OPTIONS	3
POOL TYPES	4
COVER TRACKS & LIDS	5
SYSTEM COMPONENTS	. 6-8
SAFETY MESH FENCE	10
SAFETY FENCE FEATURES	11
FREQUENTLY ASKED QUESTIONS.	12

COVER CARE SERVICE

EXPERT TECHNICIANS

When you partner with Cover Care, you are partnering with a national pool cover installation company, not a subcontracted technician. Your local technician lives and works in your area.

Our techs provide industry leading expertise and experience. Collectively, our technicians can ensure we provide solutions even in the most unique circumstances.

- Hundreds of years of combined experience
- Knowledgeable, professional, courteous
- Specifically trained on all auto cover systems
- 98% First call completion rate



EXPERT BUILDER SUPPORT

We have a dedicated builder-support team available to assist in all aspects of your projects. An expert builder support representative is available to assist you, even when your preferred rep is unavailable. Cover Care values your time and is dedicated to responding quickly.









ON-HAND INVENTORY, ON TIME INSTALLATIONS

Because we maintain new-system inventory in your area, and employ a nationwide network of Cover Care technicians, we are able to respond to your request faster than other pool cover companies.



INDUSTRY-LEADING PRODUCT

We understand that sourcing high quality components is a huge part of providing a highquality finished product. That's why Cover Care sources product from Automatic Pool Covers, Inc., the industry leader in automatic pool covers. We ensure your customers get the most durable, reliable cover system on the market.



PRODUCT BENEFITS



HOMEOWNER PROTECTION

- Restrict and control access to prevent
 unsupervised access to pool
- Highest level of security gives peace of mind
- Withstands thousands of pounds of surface weight
- PowerTouch[™] Controller secures pool in 45 seconds on average
- Meets safety standards: UL/ASTM-1346 and building codes, UL compliant




* Walking or standing on pool cover is not recommended.

COST SAVINGS*

AUTOMATIC POOL COVER SAVINGS POTENTIAL

- Up to 70% on heating costs
- Lowers evaporation up to 90%
- Reduce operating costs \$1,500 \$2,300 per year*
- · Chemicals can last 35% 60% longer
- Extends the life of pool equipment
- Safety cover, a solar cover, and a winter cover all-in-one


Average Annual Savings with a Safety Cover



*Dept of Energy findings www.energy.gov

CONSERVES POOL WATER & SAVES TIME

- Protects pool from rain, contaminants, and other particulates
- Rain water is removed by the provided cover pump
- Leaves and other debris fall onto cover instead of into the water
- Extends the swim season
- Reduces cleaning time
- · Provides more time to enjoy family!



COVER OPTIONS

SYSTEMS FOR ALL TYPES OF CONSTRUCTION







VINYL LINER

GUNITE/SHOTCRETE

FIBERGLASS

ACCOMMODATES DESIGN FEATURES



DIVING BOARDS

SLIDES

WATER FEATURES

VINYL OPTIONS


- \cdot Vinyl colors to compliment or blend into the poolscape
- Vinyl sample swatches are available.


ΝΑΥΥ	BEIGE	LIGHT GRAY
ROYAL BLUE	BROWN	CHARCOAL
LIGHT BLUE	GREEN	Colors shown are representative of the vinyl colors. Actual vinyl colors may vary due to lighting, vinyl dye lots, printing, etc.

POOL TYPES



We work with you to install an automatic cover on many pool types, shapes, and configurations.







RECTANGLE

RAISED WALL

VANISHING EDGE



PERIMETER OVERFLOW



EXTREME CANTILEVER



T-SHAPED OR L-SHAPED



DECK ON DECK



FREE FORMED



EXISTING POOL

COVER TRACKS & LIDS

Cover Care offers a variety of tracks and lids to accommodate pool aesthetics and budget options.



RETAINER TRACK Retainer built into pool wall during construction for maximum strength



VANISHING EDGE TRACK Accommodates vanishing edge wall whether sloped in or out



UNDER TRACK Installed on the under side of poured concrete deck



TOP TRACK Installed directly on top of deck



FLUSH ALUMINUM LID Walk-on gray painted aluminum lid sits flush with deck



ALUMINUM LID Rests on top of the deck, not designed to be walked on



14" WALK-ON COPING LID Lid covers vault area, lead edge bar does not retract completely




18" WALK-ON COPING LID Lead edge bar retracts to the lid



24" WALK-ON COPING LID Lead edge retracts beneath lid, requiring a 5" waterline

SYSTEM COMPONENTS





- Aluminum and stainless steel construction
- Direct-drive mechanism system
- One piece, dual rope reel for optimal alignment and operation



- 1. Wire Harness with **Quick Connector**
- 2. Quick Connect Power Connector
- 3. Quick Release Motor Coupler
- 4. Tension Block for Rope Reels
- 5. Rope Reels
- 6. Fastener-less Rope Key Holes

10

- 7. (3) Shifting Dogs
- Two Single and One Double
- 8. Hardened Steel Drive Pin
- 9. Tension Block for Roll-Up Tube
- 10. Pulleys for Ropes
- 11. End Casting to Attach to Roll-Up Tube

SYSTEM COMPONENTS

APCP-1700-40 PUMP

- Exclusive 40-Ft. power cord
- Exclusive Caviar Black color
- Up to 1,745 gallons per hour
- CoverBlast[®] or garden hose connection
- Automatic On/Off
- 3 year warranty



 Includes Seal Technology[™] 100% submersible, water-resistant



Image shown with exclusive black CoverBlast®

TOUCHPAD CONTROLLER

- Patented SmartMotion[™] technology
- Electronic torque limiting continuously protects the cover system during operation
- Personalized, customizable code restricts access to pool
- Back-lit keypad allows clear visibility night and day







4" LEAD EDGE FOR EXTRA WIDE POOLS ATLAS LID BRACKET EXTRA Heavy Duty

11" Standard Extension - 640 lbs/bracket 13"-16" Extension - 435 lbs/bracket 17"-20" Extension - 370 lbs/bracket ____ 21"-24" Extension - 325 lbs/bracket

HD2 & HD3 LID BRACKETS

Heavy Duty




HD2 - 11" Standard Extension - 300 lbs/bracket HD3 - HD2 with 12"-16" Extension - 175 lbs/bracket -

SYSTEM COMPONENTS





PREMIUM VINYL POOL KIT



*Included pool cover pump model may vary.

DESIGNED AND ENGINEERED TO WORK TOGETHER AS A COMPLETE UNIT FOR ACCURATE INSTALLATION AND YEARS OF TROUBLE-FREE OPERATION

- 1. One Piece Corner Assemblies
- 2. Simple One-Piece Coping Design 6. Quick-Clip Lid Riser
- Integrated Wall Cap
 Clip-on Coping Splice
- 5. Polymer Box Assembly 6. Quick-Clip Lid Riser
- 7. Drop & Lock Mounting Brackets
- 8. AutoGuard[™] Drive Mechanism
- 9. HD2 Removable Lid Bracket
- 10. Flush, Non-Skid, Walk-On Lid
- 11. Lead Edge Bar
- 12. Vinyl Fabric





INNOVATIVE SOLUTION FOR POOL SAFETY

- A Poolsafe[®] Safety Fence can be used with or without an automatic cover
- More security than a pool alarm... more flexibility than a manual cover
- Exceeds ASTM fence standards
- Quick and Easy Tool-Free Assembly by an adult to protect your pool faster

STEELCORE[™] POLE

STAINLESS STEEL REINFORCED, ALUMINUM COATED POLE FOR MAXIMUM STRENGTH

- 4 Times more metal than standard pole insert
- Reinforced with ½" solid stainless steel rod
- Aluminum powder coated poles
- Smallest holes drilled in deck without losing strength
- No plastic fence sleeve exposed to UV





Poolsafe[®] Deck Sleeve Dime Size

Standard Deck Sleeve Silver Dollar Size

CLEARGUARD® MESH AND BORDER

LARGE-HOLE MESH FOR SUPERIOR TRANSPARENCY

- **Patented** heat welded technology combines the border and mesh into one seamless fabric (Patent number 11,168,489 B2)
- No stitching; removes chance of failed thread or pealing
- Large-hole mesh provides maximum visibility
- Reinforced weaving technique provides
 maximum strength
- · Vinyl border: stretch, mildew, stain resistant

FENCE HEIGHT

4-FT. FENCE:

- Recommended height for a mesh pool fence
- Meets ASTM safety standards
- Below the line of sight of most adults **5-FT. FENCE:**
- Meets requirements for day care, foster care, some building codes



SAFETY FENCE FEATURES

POOLSAFE® FENCE FEATURES

TRITON® GATE

- Innovative, *patented* gate design (Patent number 9,650,832 B2)
- 4-Sided with Concealed Top Bar and Tri-Pod Truss for Improved Alignment
- Designed for maximum safety and strength
- Tri-pod truss provides support insuring continual alignment and latching
- Includes magnetic, lockable latch for superior protection





BROWN Neutral earth tone blends with landscaping or designs.



BEIGE Great for a beige colored house or perimeter yard fence.



POOLSAFE® FENCE POLE INSERT 1/2-In. Solid stainless steel rod

STANDARD FENCE POLE INSERT Hallow Aluminum



GRAY Ideal for landscapes featuring rocks or concrete.

BLACK Classic combination creating a clean and elegant look.





AUTOMATIC POOL COVER BENEFITS

IS AN AUTOMATIC COVER THE BEST WAY TO PROTECT THE POOL?

Yes. When closed, an automatic pool cover provides a barrier to the pool. Access to the pool is only available by opening the cover, which requires the pool owner's personalized access code (or key).

WHAT OTHER PROTECTION DOES THE AUTOMATIC POOL COVER PROVIDE?

A closed automatic pool cover will prevent pets, stray and wild animals, as well as other objects from entering the pool. Our covers are also known to have prevented off-road vehicles and even automobiles from entering the pool.

WILL THE POOL COVER ROLL-UP BE AN OBSTRUCTION?

No. On new construction, the cover rolls up under the pool cover lid.

WHAT OTHER BENEFITS DOES AN AUTOMATIC POOL COVER PROVIDE?

Safety is the most important benefit, but an automatic pool cover also provides savings in heating costs (contains heat when the cover is closed), and reduces evaporation, making chemicals more efficient and longer-lasting. An automatic pool cover prolongs the life of pool equipment such as pumps and filters, by keeping leaves and other debris out of the pool.

IS AN AUTOMATIC COVER THE ONLY NECESSARY BARRIER FOR MY POOL?

Some areas have determined that an automatic pool cover is the only required barrier, while other areas call for two forms of protection, like the addition of a fence. Check local statutes/codes.

OPERATION OF AN AUTO COVER

IS IT SAFE TO WALK ON A POOL COVER?

Although covers can support thousands of pounds in surface weight, it is only recommended to walk on the cover in emergency situations.

IS IT NECESSARY TO USE A POOL COVER PUMP?

Yes, the AST 1346 requires a UL-listed pump meeting water removal standards. Cover Care supplies pumps that meet the AST 1346 requirments.

HOW MUCH MAINTENANCE IS REQUIRED?

Our cover systems are engineered for durability and longevity. Operating the system as directed, and scheduling annual professional maintenance, ensures continuous and proper system operation.

CAN AN AUTOMATIC COVER BE INSTALLED ON ANY POOL?

An automatic cover can be installed on many in-ground pools. Coordination with pool builders before and during the construction process is essential to ensure the best outcome.

COVER CARE SERVICE

ARE COVER CARE TECHNICIANS TRAINED?

Cover Care technicians are continually trained on installation and service techniques for all manufacturer systems.

WHEN IS AN AUTOMATIC COVER INSTALLED?

An install is completed in conjunction with new-pool construction, or per request on an existing pool.

WHAT WARRANTY DOES COVER CARE PROVIDE?

Cover Care provides a one-year labor warranty. The system warranty is provided by Automatic Pool Covers, Inc. The limited warranty covers the mechanical components ten (10) years; the electrical components three (3) years, and the cover material five ((5) years: 3-years full and 2-years prorated. Consult Cover Care for full details. Warranty may change without notice.

WHERE IS COVER CARE LOCATED?

Cover Care[®] has trained professionals who service areas nationwide. Because Cover Care adds additional service areas each year, visit CoverCare.com to find your nearest provider.

WHAT SYSTEM DOES COVER CARE USE?

Cover Care exclusively uses the AutoGuard[™] system by Automatic Pool Covers, Inc. We also keep service parts for other systems on-hand enabling us to perform basic service.

DOES COVER CARE OPERATE UNDER OTHER BUSINESS NAMES?

Yes. Visit covercare.com/locations for details.

Your Automatic Pool Cover Authority™

READY TO PARTNER WITH US? CALL 866-639-5045



FOLLOW US in f

COVERCARE.COM PP-5188 (0423)

TAT SHE STATE AND

Cover Care, LLC